

STEALTH™

SERIES AUTOSCRUBBERS

**4X QUIETER
THAN THE
COMPETITION**



quieter

faster

cleaner

reliable



BETCO®

Revolutionary Technology

Betco® new Stealth™ Series of automatic scrubbers are “The World’s Quietest Automatic Scrubbers”. They utilize Betco’s exclusive Noise Reduction Technology and are 4x quieter than other automatic scrubbers. The increased speed with lower water consumption and extended run time equals unmatched productivity. These simple to operate scrubbers are easy to maintain, clean and sanitize. The Betco Stealth Series delivers all the increased productivity without all the cost.

**ANOTHER
1ST FROM
BETCO!**



ASD20B



ASD20BT




ASD26BT



DRS24BT


QUIET & FAST



- 1 Adjustable Traction Drive control offers infinite speed setting (ASD20BT & ASD26BT)
- 2 Easy to read gauge and meter indicating real time machine status
- 3 Finger-tip forward/reverse delivers ultimate handling
- 4 High comfort ergonomic operators handle
- 5 Recovery tank design ensures complete drainage for maintenance and cleaning
- 6 Smooth tank finish for enhanced sanitation and hygiene
- 7 Squeegee lift lever simplifies operation
- 8 Convenient and easy to read solution level site gauge
- 9 Fast drain for the solution tank
- 10 Easy on and off thumb release squeegee for no tools maintenance
- 11 Foot touch scrub deck lever




Traction Drive Control
(ASD20BT & ASD26BT)



Pad driver installation and removal in one easy step
(ASD20B & ASD20BT)

Get Connected. **888-GO BETCO** Stay Connected.



- 1 User friendly layout with variable speed control enhances safety and productivity
- 2 Easy to read gauge and meter indicating real time machine status
- 3 Easy access circuit breakers reduce down time
- 4 Solution Flow Control
- 5 Finger-tip forward/reverse delivers ultimate handling



- 6 Sound insulated, acoustically engineered, 3-stage vacuum motor delivers quiet reliable performance
- 7 Pressure safety seat
- 8 Fully accessible flush drain
- 9 Patented squeegee design leaves no cleaning solution behind on tight turns and fits through doorways
- 10 Easy on and off thumb release squeegee for no tools maintenance
- 11 Patented 5 wheel design for added operator driving stability

The only thing you'll notice is clean floors

Noise Reduction Technology

New Stealth Noise Reduction Technology (NRT) dramatically reduces machine noise. NRT eliminates the noise pollution with the double sound insulated, acoustically engineered, 3-stage vacuum motor delivering quiet reliable performance. NRT brings the sound pressure levels of 58 dBA, well below the limit of 80 dBA...that's four times quieter than the competition. Day cleaning becomes a reality when using the New Stealth Series.





STEALTH™ ASD20B
20" Automatic Scrubber
w/brush assist















STEALTH™ ASD20BT
20" Automatic Scrubber
w/traction drive



STEALTH™ ASD26BT
26" Automatic Scrubber
w/traction drive



STEALTH™ DRS24BT
Automatic Rider Scrubber

SKU with WET Battery w/2 - 12V 130 AH, 12 Amp Charger	E87030-00	E87028-00	E87026-00	E87032-00 w/4 - 6V 235 AH, 25 Amp Charger
SKU with AGM Battery w/2 - 12V 120 AH, 12 Amp Charger	E88062-00	E87063-00	E87064-00	E88065-00 w/4 - 6V 200 AH, 25 Amp Charger
 Cleaning Path Squeegee Width	20" (29")	20" (29")	26" (36")	24" (33")
 Productivity Sq. Ft./Hr.	18,500 sq.ft./hr	22,050 sq.ft./hr	31,970 sq.ft./hr	41,500 sq.ft./hr
 Scrub Head RPM	DISC - (1) 20" -- 140 RPM	DISC - (1) 20" -- 140 RPM	DISC - (2) 13" -- 225 RPM	DISC - (1) 24" -- 140 RPM
 Scrub Head Pressure	66 lbs. (30 kg) -- floating	66 lbs. (30 kg) -- floating	99 lbs. (45 kg) -- floating	77 lbs. (35 kg) -- variable
 Scrub Motor hp	0.55 hp -- (400 watt)	0.55 hp -- (400 watt)	0.75 hp -- (560 watt)	0.75 hp -- (560 watt)
 Solution Tank in gallons	11 gallons -- (40 L)	11 gallons -- (40 L)	16 gallons -- (60 L)	20 gallons -- (75 L)
 Recovery Tank in gallons	13 gallons -- (50 L)	13 gallons -- (50 L)	19 gallons -- (70 L)	25 gallons -- (95 L)
 Vacuum Motor Water Lift (inches)	0.75 hp -- (560 watt) 76"	0.75 hp -- (560 watt) 76"	0.75 hp -- (560 watt) 76"	0.75 hp -- (560 watt) 76"
 Drive System	Pad Assist	Traction - 0.20 hp (150 watt) variable	Traction - 0.20 hp (150 watt) variable	Traction - 0.55 hp (400 watt) variable
 Voltage Power Source	24 v Wet: 2 - 12v 130 Ah AGM: 2 - 12v 110 Ah	24 v Wet: 2 - 12v 130 Ah AGM: 2 - 12v 110 Ah	24 v Wet: 2 - 12v 155 Ah AGM: 2 - 12v 110 Ah	24 v Wet: 4 - 6v 235 Ah AGM: 4 - 6v 200 Ah
 Battery Charge Location	External	External	External	External
 Sound Level dBA	58 dBA	58 dBA	58 dBA	58 dBA
 Machine Size L x W x H	45 x 21 x 39	45 x 21 x 39	54 x 27 x 41	53 x 25 x 54
 Machine Weight w/o batteries	297 lbs (135 kg) 165 lbs (75 kg)	342 lbs (155 kg) 210 lbs (95 kg)	427 lbs (194 kg) 253 lbs (115 kg)	779 lbs (353 kg) 507 lbs (230 kg)



*For complete 10/3/3 coverage details view our entire warranty policy at betco.com.



©2009 Betco Corporation
All Rights Reserved.
1001 Brown Avenue
Toledo, Ohio 43607-0127
888-GO BETCO • www.betco.com
Item #92056-92