



# GENESYS™

Mid-Size Walk-Behind Scrubber Series



YOUR TOUGHEST JOBS.  
**DONE.**



# GENESYS™

## CLEAN FASTER WITH LESS EFFORT AND COST

You are the one who picks the V8 engine because you know that when you need the extra power, it has got to be there. That is why the GeneSys® boasts the best performance specifications in its class. You won't be left hanging.

**33% More Horsepower\***

**36% More RPMs\***

**50% More Down Pressure\*\***



## SMART, PROBLEM SOLVING TECHNOLOGIES



### SoliChem™ Technology ↑

This is the first-ever on-board chemical dispensing system that utilizes chemical solids, resulting in:

- Up to 80% lower daily chemical costs
- Alleviation of mixing hassles and waste
- Increased sustainability with less water and packaging

### SoliChem Chemicals

DAILY: pH7 Ultra

DEGREASER: BioActive Solutions™ Grease Solv

**SoliChem included standard on all GeneSys Mid-Size Scrubbers!**



Patent Pending SoliChem Misting Chamber.

### EFFICIENCYIQ™ Program↑

Ever wonder how to ensure you are getting the best clean while maximizing productivity?

Never wonder again. EfficiencyIQ™, standard with the Touch Encoder control option, automatically selects the most efficient settings for your job. Enter the square footage and floor type, and the machine selects the settings.

**It truly is genius.**



## BEST DRYING PERFORMANCE, TOO!

The GeneSys scrubbers are also first to include as a standard feature the most advanced squeegee on the market, Airolflex®. This specialized blade increases vacuum performance by up to 40%, leaving your floors dryer and safer than the competition.

### Airolflex®



Airolflex® is a registered trademark of the Midwest Rubber Company

\*Versus leading disk scrubber competitor

\*\*Versus leading disk and orbital scrubber competitors

### Fortify™ Asset Protection Management Suite

Fortify™ is a suite of features and technologies that reduces the cost of ownership while extending machine life.

Make the smart decision and buy the Betco® GeneSys Scrubber to help manage your long-term operations.

- Wet Battery Protection System
- Tank Defoaming System↑
- Armor™ Telemetry (Armor™ is a trademark of USA Clean)
- Programmable Timer Lock-out↑
- Supervisor Lock-out (with Touch Encoder)
- 3-Gallon Foam De-Misting Chamber
- Scrub Deck Service Panel
- 10 / 3 / 3 Warranty



## THE NEXT GENERATION OF CLEANING SYSTEMS

This new Mid-Size Scrubber Series — designed, developed, and assembled at our new headquarters in Bowling Green, Ohio — is the next generation of auto scrubbers. Co-developed with industry experts, each detail has been scrutinized for an unparalleled customer experience.

Power to spare allows you to perform cleaning or project work faster and with less effort. Plus, smart technologies make your operation more efficient at a lower cost.

**There is a reason why it is called GeneSys.**

Specifications	GeneSys™ 26D	GeneSys™ 28D	GeneSys™ 32D	GeneSys™ 28ORD
Productivity (sq. ft. / hour)	Up to 29,250	Up to 31,500	Up to 36,000	Up to 31,500
Path Width	26 in.	28 in.	32 in.	28 in.
Pad / Brush Dimensions	(2) 13 in. Disk	(2) 14 in. Disk	(2) 16 in. Disk	(1) 14 in. x 28 in. Rectangle
Brush Motor(s)	(2) 1.0 HP	(2) 1.0 HP	(2) 1.0 HP	(1) .75 HP
Pad Speed	300 RPM	300 RPM	300 RPM	2,000 RPM
Down Pressures	60, 120 & 180 lb.	60, 120 & 185 lb	60, 120 & 185 lb.	60, 120 & 185 lb.
Solution Tank	25 - gal.	25 - gal.	25 - gal.	25 - gal.
Recovery Tank	28 - gal.	28 - gal.	28 - gal.	28 - gal.
Solution Flow	0 - .75 gpm	0 - .75 gpm	0 - .75 gpm	0 - .75 gpm
Battery Options	(4) 6V 260 AH Wet (4) 6V 220 AH AGM	(4) 6V 260 AH Wet (4) 6V 220 AH AGM	(4) 6V 260 AH Wet (4) 6V 220 AH AGM	(4) 6V 260 AH Wet (4) 6V 220 AH AGM
Run Time	Up to 4.5 hr.	Up to 4.5 hr.	Up to 4.0 hr.	Up to 5.5 hr.
Sound Level	<65 dBA	<65 dBA	<65 dBA	<65 dBA
Vac Motor / Filter	.72 HP / HEPA	.72 HP / HEPA	.72 HP / HEPA	.72 HP / HEPA
Machine Weight (w/260AH Batteries)	625 lb.	630 lb.	640 lb.	630 lb.
Machine Dimensions	55 in. x 28 in. x 44 in.	56 in. x 30 in. x 44 in.	59 in. x 34 in. x 44 in.	54 in. x 29 in. x 44 in.
Squeegee Width	35 in.	40 in.	45 in.	40 in.
Warranty*	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts / Labor 180 - Days Travel 3 - Years / 3,000 Hours Isolators

\*See full warranty for details.

## Key Options & Accessories

Touch Encoder with EfficiencyIQ™

Fortify™ Wet Battery Protection System

Fortify™ Programmable Timer Lock-out

Fortify™ Armor™ Telemetry & Reporting

Fortify™ Bluetooth Battery Discharge Indicator

Fortify™ Foam Control

SoliChem™ Chemicals:

Daily: pH7 Ultra

Degreaser: BioActive Grease Solv

Brush: General Purpose



888-GO BETCO | betco.com

©2020 Betco Corporation  
All Rights Reserved.  
400 Van Camp Road  
Bowling Green, Ohio 43402

Item #92488-92

01/2020

